

300mm Probe Length High Temp K Type Thermocouple with 12mm Protection Tube Diameter

Basic Information

Place of Origin: ChinaBrand Name: HuaruiModel Number: Cf2501



Product Specification

• Features: High Temperature Resistance, Fast

Response Time, Durable And Reliable

• Probe Material: Platinum/Rhodium

• Probe Length: 300mm

• Connection Type: Fixed Thread

Probe Diameter: 6mmConnection Size: M20x1.5

• Accuracy: ±1.5°C Or ±0.4%

• Protection Tube 12mm

Diameter:

• Highlight: 300mm K type thermocouple probe,

high temp thermocouple for molten iron, 12mm protection tube thermocouple

Product Description:

In the fiercely competitive landscape of modern foundries and steel mills, knowledge is power, and timing is everything. Among the most critical pieces of knowledge is the exact temperature of your molten iron. This single data point dictates the success of every subsequent operation—from inoculation and alloying to tapping and pouring. An inaccurate reading can lead to catastrophic consequences: cold shuts, misruns, gas porosity, weakened mechanical properties, and ultimately, massive scrap rates.

The Huarui Robust Immersion Thermocouple is engineered to be the unfailing pulse-taker of your molten metal process. We understand that measuring temperatures exceeding 1300°C in an aggressive, abrasive, and thermally shocking environment is one of the most challenging tasks in industrial sensing. Therefore, our HR-TC-MI Series is not just a sensor; it is a sophisticated, disposable system designed for one purpose: to deliver speed, accuracy, and reliability when it matters most, safeguarding your product quality and your bottom line.

Features:

A superior thermocouple is a synergy of advanced materials and precision engineering. Every component of the HR-TC-MI is optimized for the harsh reality of the foundry floor.

2.1. The Sensing Element: The Heart of Accuracy

Type S (Platinum-Rhodium) Excellence: For the most demanding applications and highest accuracy requirements, we offer Type S (Platinum/Platinum-10% Rhodium) elements. These provide exceptional stability and precision for critical iron and steel processing. Robust Type B & R Options: For even higher temperature ranges found in steel production, Type B (Platinum-30% Rhodium/Platinum-6% Rhodium) elements are available, offering superior longevity and resistance to degradation.

Metallurgical Purity: Our noble metal wires are of the highest purity, ensuring a stable and consistent Electromotive Force (EMF) output, which is the foundation of a precise temperature reading.

2.2. The Protective Sheath: The First Line of Defense

The sheath is the component that bears the full brunt of the molten metal's chemical and thermal assault.

High-Zirconia Ceramic (ZrO₂): Our standard for excellence. Zirconia sheaths offer outstanding resistance to molten iron erosion and slag attack. They possess exceptional thermal shock resistance, surviving the rapid temperature change from room temperature to 1600°C+ in seconds without cracking.

Fused Quartz (SiO2): A cost-effective alternative for certain iron applications, providing good thermal shock resistance and non-wettability against molten iron.

Alumina (Al₂O₃): For ultra-high temperatures and environments requiring extreme mechanical strength and chemical inertness. Multi-Layer Protection: Key models feature a multi-layered construction, often with an inner insulator and an outer protective tube, to maximize safety and signal integrity.

2.3. The Paper Tube & Connecting Head: Seamless Integration and Safety

Steel-Wire Reinforced Paper Tube: The sturdy paper tube provides structural integrity for safe immersion. It is often reinforced with steel wires to prevent bending or breaking during handling. Its combustible nature is a safety feature, ensuring it burns away cleanly without contaminating the metal.

Standardized Quick-Connect Plug: The industrial-standard ceramic or plastic connector head ensures a foolproof, secure connection to your temperature display unit or automated temperature measurement system. This eliminates signal noise and connection failures.

2.4. The Moisten Agent: Ensuring a Clean Measurement

The tip of the thermocouple is often coated with a special moisten agent. This coating serves a vital function: it promotes immediate wetting of the sheath by the molten metal, preventing slag adhesion and ensuring a rapid thermal transfer for a faster, more representative reading.

Technical Parameters:

Core Product Advantages: Why Huarui is the Uncompromising Choice

Blazing Fast Response Time: < 4 Seconds

Our thin-walled, optimally designed sheaths transfer heat with incredible speed, capturing the true temperature of the metal before the bath can cool or the thermocouple can degrade. This allows for guicker decisions and higher throughput.

Unwavering Measurement Accuracy: ±0.2%~0.5% of Reading

Precision-engineered sensing elements and high-quality materials ensure that the temperature you see is the temperature you have, giving you the confidence to make perfect metallurgical calls.

Exceptional Thermal & Mechanical Shock Resistance

The proprietary material composition and manufacturing process of our sheaths create a component that can withstand repeated, rapid immersion without failure, ensuring reliability across every heat.

Superior Slag & Erosion Resistance

The dense, non-porous microstructure of our ceramic sheaths minimizes erosion from the abrasive molten metal and resists penetration by corrosive slags, leading to a longer usable life and consistent performance.

Operational Safety & Ease of Use

From the easy-grip paper tube to the unambiguous quick-connect plug, every aspect is designed for operator safety, efficiency, and to minimize human error in high-stress environments.

Applications:

The HR-TC-MI Series Across Molten Metal Workflow

The HR-TC-MI Series plays an essential role throughout the molten metal workflow:

Furnace or Ladle Tapping

At this stage, it is crucial to determine the precise tapping temperature to ensure that the metal falls within the optimal treatment and

pouring range.

In-Ladle Treatment Stations

These stations are critical for monitoring temperature during processes like inoculation and alloying, which are highly sensitive to temperature fluctuations.

Pre-Pour Assessment in the Transfer Ladle

This step acts as the final check before the metal is poured into the mold, ensuring that it hasn't cooled below the necessary fluidity threshold

Continuous Temperature Monitoring in Channel Furnaces

There are specific models within the HR-TC-MI Series designed for longer-term immersion or frequent dipping, allowing for precise temperature monitoring in channel furnaces.

Customization:

Product Customization Services for the Thermocouple For Molten Iron:

Brand Name: Huarui Model Number: Cf2501 Place of Origin: China Probe Length: 300mm

Protection Tube Material: Ceramic

Features: High Temperature Resistance, Fast Response Time, Durable And Reliable

Thermocouple Wire Length: 2m

Application: Measurement Of Molten Iron Temperature In Foundry Industry

Support and Services:

The Thermocouple For Molten Iron product offers comprehensive technical support and services to ensure optimal performance and reliability. Our team of experts is available to assist with product installation, troubleshooting, and maintenance to minimize downtime and maximize efficiency. Additionally, we provide training and resources to help users get the most out of their thermocouple systems.

Packing and Shipping:

Product Name: Thermocouple For Molten Iron

Description: High-quality thermocouple designed specifically for measuring temperature in molten iron applications.

Specifications: Type K thermocouple, temperature range up to 2000°C, durable stainless steel sheath.

Package Includes: 1 Thermocouple For Molten Iron

Shipping: This product will be carefully packaged to ensure safe delivery. Shipping options available include standard, expedited, and

express shipping.

FAQ:

Q: What is the brand name of this thermocouple for molten iron?

A: The brand name is Huarui.

Q: What is the model number of this thermocouple?

A: The model number is Cf2501.

Q: Where is this thermocouple for molten iron manufactured?

A: This product is manufactured in China

Q: Is this thermocouple suitable for measuring high temperatures?

A: Yes, this thermocouple is designed for measuring high temperatures, specifically for molten iron.

Q: Can this thermocouple be used in industrial settings?

A: Yes, this thermocouple is suitable for industrial settings where molten iron temperature measurements are required.



Shandong Huarui Electric Furnace Co., Ltd.



+86 13235363441



sales@huarui-furnace.com



melt-furnaces.com